

Cox, Diane, Garry, Heather, Spickett, Gavin, Wilson, Louise and Bojke, Chris (2012) Tele-rehabilitation: video-conferencing for delivery of interventions for people with chronic fatigue syndrome. *International Journal of Integrated Care*, 12 (4).

Downloaded from: <http://insight.cumbria.ac.uk/id/eprint/2659/>

Usage of any items from the University of Cumbria's institutional repository 'Insight' must conform to the following fair usage guidelines.

Any item and its associated metadata held in the University of Cumbria's institutional repository Insight (unless stated otherwise on the metadata record) may be copied, displayed or performed, and stored in line with the JISC fair dealing guidelines (available [here](#)) for educational and not-for-profit activities

provided that

- the authors, title and full bibliographic details of the item are cited clearly when any part of the work is referred to verbally or in the written form
- a hyperlink/URL to the original Insight record of that item is included in any citations of the work
- the content is not changed in any way
- all files required for usage of the item are kept together with the main item file.

You may not

- sell any part of an item
- refer to any part of an item without citation
- amend any item or contextualise it in a way that will impugn the creator's reputation
- remove or alter the copyright statement on an item.

The full policy can be found [here](#).


Alternatively contact the University of Cumbria Repository Editor by emailing insight@cumbria.ac.uk.

Volume 12, 15 June 2012

Publisher: Igitur publishing

URL: <http://www.ijic.org>

URN:NBN:NL:UI:10-1-113035 / ijic2012-55

Copyright: 

Conference abstract

Tele-rehabilitation: video-conferencing for delivery of interventions for people with Chronic Fatigue Syndrome

Diane Cox, University of Cumbria, UK

Heather Garry, Cumbria Partnership NHS Foundation Trust, UK

Gavin Spickett, Newcastle upon Tyne Hospitals NHS Foundation Trust, UK

Louise Wilson, Northern CFS/ME Clinical Network Newcastle upon Tyne, UK

Chris Bojke, Centre for Health Economics, University of York, UK

Correspondence to: Diane Cox, E-mail: diane.cox@cumbria.ac.uk

Abstract

Background: The delivery of services to those who are house bound or those that are unable to access transport, especially within a rural locality were identified as issues by the North Cumbria Chronic Fatigue Syndrome (CFS/ME) team. Technology that would enable the team to work with clients in their own home; without the resource implications of providing a domiciliary-based service was explored. The rationale was to provide a service to clients that have difficulty accessing clinics, particularly the severely affected and to create a more inclusive 'closer to home' service provision. The investigation was divided into four phases:

- Systematic review of the literature
- Scoping exercise via a questionnaire to all current clients
- Feasibility and acceptability pilot with 5 clients
- Development of larger cohort observational study

Results: Phases 1–3 are complete. The review identified that in-home desktop video-conferencing is likely to be well received by patients and to be equivalent to in-person therapy in terms of clinical outcomes. Cost effectiveness of systems was shown to be reliant on initial outlay and amount of usage, and that such services could result in significant savings in time and money for patients [1]. The scoping exercise identified that there was a need for tele-rehabilitation to address the difficulties this population face in travelling to appointments, and that it was feasible as most people already had access to computers with broadband internet connection. The pilot study showed that PC-based video-conferencing in a real-life situation, linking people's homes to a clinical base, is technically feasible and resulted in positive feedback from clients and the therapist. Technology functioned effectively, facilitating satisfactory interactions between clients and therapist. Technical problems were judged by clients and therapist not to interfere with the interaction. An implementation guide including tips for best practice and troubleshooting has been produced. This project to date has had an impact on the service and the patients. The interventions delivered by video-conferencing have resulted in high satisfaction levels for patients and have produced similar clinical outcomes to in-person delivery. This mode of delivery is being used for both consultant review sessions and patient to therapist interactions. The use of video-conferencing is now embedded into the service and offered to patients when travel or level of disability could affect attendance due to difficulties with transport or level of symptoms.

Conclusions: It is feasible to use video-conferencing as a means of delivering interventions for people with chronic fatigue in rural communities. Further investigation is required to understand the differences between clinic-based and video-conferencing interventions over time.

Keywords

tele-rehabilitation, video-conferencing, long-term conditions, interventions, service enhancement

Reference

1. Steel K, Cox DL, Garry H. Video conferencing face-to-face therapeutic interventions for the treatment of long term conditions. *Journal of Telemedicine and Telecare* 2011;17(3):109–17.