

Pope, Francis D. ORCID: <https://orcid.org/0000-0001-6583-8347> , Gatari, Michael ORCID: <https://orcid.org/0000-0001-9193-6901> , Ng'ang'a, David, Poynter, Alexander ORCID: <https://orcid.org/0000-0002-8260-921X> and Blake, Rhiannon (2018) Airborne particulate matter monitoring in Kenya using calibrated low cost sensors [discussion paper]. Atmospheric Chemistry and Physics Discussions .

Downloaded from: <https://insight.cumbria.ac.uk/id/eprint/4147/>

Usage of any items from the University of Cumbria's institutional repository 'Insight' must conform to the following fair usage guidelines.

Any item and its associated metadata held in the University of Cumbria's institutional repository Insight (unless stated otherwise on the metadata record) may be copied, displayed or performed, and stored in line with the JISC fair dealing guidelines (available [here](#)) for educational and not-for-profit activities

provided that

- the authors, title and full bibliographic details of the item are cited clearly when any part of the work is referred to verbally or in the written form
- a hyperlink/URL to the original Insight record of that item is included in any citations of the work
- the content is not changed in any way
- all files required for usage of the item are kept together with the main item file.

You may not

- sell any part of an item
- refer to any part of an item without citation
- amend any item or contextualise it in a way that will impugn the creator's reputation
- remove or alter the copyright statement on an item.

The full policy can be found [here](#).

Alternatively contact the University of Cumbria Repository Editor by emailing insight@cumbria.ac.uk.

Supplementary Material

Airborne particulate matter monitoring in Kenya using calibrated low cost sensors

Francis D. Pope^{1*}, Michael Gatari², David Ng'ang'a², Alexander Poynter¹ and Rhiannon Blake¹

¹*School of Geography, Earth and Environmental Sciences, University of Birmingham, Birmingham, United Kingdom, B15 2TT.*

²*Institute of Nuclear Science and Technology, University of Nairobi, Nairobi, Kenya,*

**Corresponding author – f.pope@bham.ac.uk*

Table S1 Mean average PM mass concentrations (PM₁, PM_{2.5} and PM₁₀) and daily exceedances of the WHO PM guidelines (PM_{2.5} and PM₁₀) observed at the three measurement sites during the intensive period. ¹WHO guidelines for daily PM₁₀ and PM_{2.5} are 50 and 25 µg/m³, respectively

Measurement location	Measurement days (number)	Average PM ₁ mass concentration (µg/m ³)	Average PM _{2.5} mass concentration (µg/m ³)	Average PM ₁₀ mass concentration (µg/m ³)	% daily PM _{2.5} exceedances ¹	% daily PM ₁₀ exceedances ¹
Urban background	14	17.1	25.3	62.6	35.7	71.4
Urban roadside	14	33.0	48.2	120.6	100.0	100.0
Rural background	14	11.6	16.6	23.4	21.4	0.0




Figure S1. There is no dependence on recorded PM mass concentration upon RH. Top panel – histogram of recorded RH at the urban background site. The data with RH greater than 85% RH is shown in red and represents only 0.84% of the data recorded. Bottom panel – scatter plots of PM_{10} and $PM_{2.5}$ versus RH for the urban background site. Black and red points represent PM_{10} and $PM_{2.5}$ data, respectively. Neither site shows any significant dependence of PM concentration upon RH, as expected with respect to Crilley et al. 2018




Figure S2. Time series for temperature and relative humidity data collected at the urban background field site in Nairobi.