

**Title:** Trauma informed education for specialist practice.

**Author:** Nadine Littler

### **Abstract**

Trauma experienced in childhood and adolescence, can have a lifelong impact upon an individual's physical and mental health. Therefore, the integration of trauma-informed education, within SCPHN training programmes was considered, in order to ensure school nurses, have the essential knowledge and skills, required to effectively deliver trauma informed care within their role in practice. This involved utilising a combination of theoretical frameworks such as life course epidemiology, psycho-social epidemiology and trauma informed principles in conjunction with a variety of pedagogies such as social constructivism, experiential learning and a strengths-based approach.

**Keywords:** Trauma informed, nursing, education, curriculum, competencies.

Over the last 35 years the concept of trauma as a public health issue has evolved, from the development of the National Centre for Post-Traumatic Stress Disorder for war veterans in the United States in 1989, to initiating research between 1995-1997 on the adverse childhood experiences (ACE's) study (Felliti et al 1998), which extended this health issue into the civilian world of children, young people and families who have been exposed to traumatic experiences such as abuse and neglect. The plethora of evidence from this study (Felliti et al 1998) identified the 'lifelong detrimental physical, emotional and mental health effects experienced by individuals with a history of trauma' (Cannon et al 2020:1). This resulted in the development of a

strengths-based approach known as trauma informed care in 2005 which aims to promote a culture of safety, empowerment and healing (Tello 2018).

A traumatic experience has been defined as 'an event, series of events, or set of circumstances that is experienced by an individual as physically or emotionally harmful or life threatening' (The Substance Abuse and Mental Health Services Administration, SAMHSA 2014a:7). Trauma is insidious and can occur as a result of many different experiences, which are often subdivided into two different types. Type one trauma refers to an individual experiencing a single incident such as an assault, rape, or a serious accident. Type two trauma refers to persistent experiences such as child or domestic abuse, trafficking, or the context of war, (SAMHSA 2014a). Some individuals may experience both types of trauma, this is otherwise known as compound or complex trauma (Maguire et al 2009); however, it is not the incident or experience which determines the type of trauma, it is the symptoms in which the individual is experiencing (Brewin et al 2017).

Evidence suggests that children and young people who experience trauma and adversity at an early age, are more likely to experience poor mental and physical health, misuse substances such as alcohol and drugs, be involved in the criminal justice system and have reduced mortality rates (Ashton et al 2016; Bellis et al 2015). It is estimated that 'a third of young people in the United Kingdom (UK) have experienced trauma during childhood and adolescence which doubles their risk of experiencing a range of mental health conditions such as depression, conduct disorder, alcohol dependence, self-harm and suicide' (Torjesen 2019:1854). Furthermore, there is already evidence that '50% of all lifelong mental health disorders

develop in young people by the age of 14, and 75% begin by the age of 24 years' (Kessler et al 2005:593).

### **Trauma informed education**

School nurses have a key public health role through the universal and targeted services they provide across education and health, providing a link between school, home and the community (Royal College of Nursing, RCN 2020). Therefore, they have a fundamental role in working with children and young people who have experienced trauma, through their ability to develop positive and trusting therapeutic relationships (Feo et al 2017). As they are always available to provide support, as well as being understanding, empathetic, genuine, non-judgmental and self-aware, whilst still maintaining clear professional boundaries and providing a quality service (Dziopa and Ahern 2009). Hence, they are in a unique position to support and deliver the six key principles of a trauma informed approach with children and young people, these being; 'safety, trustworthiness and transparency, peer support, collaboration and mutuality, empowerment/voice/choice, and cultural/historical/gender issues' (SAMHSA 2014:10).

However, due to the complexity of adverse childhood experiences and trauma, a co-ordinated response is needed with other services and agencies such as the criminal justice system, social care, education, and the police to provide a population health approach, as it does not just impact the individual, but also their relationships, community and wider society (Magruder, McLaughlin and Borbon 2017). Therefore, we need to develop a trauma informed workforce, which begins by integrating trauma informed education within all professional training programmes, as it is evident that it

is still in its infancy within the field of nursing, in comparison to other professions such as psychiatry, social work and psychology (Li 2019). This will ensure we keep pace with the continual change to health care practice (Kermansaravi et al 2015) and prepare both the present and future generation of practitioners with the right knowledge, skills and behaviours, to address this public health issue.

Recently Higher Education Institutions (HEI's) have received approval for the delivery of the master's level Specialist Community Public Health Nursing (SCPHN) Apprenticeship programmes in the UK (Institute for Apprenticeships and Technical Education 2020). Aligned to this, the Nursing and Midwifery Council (NMC, 2020) has also proposed the development of new SCPHN Standards of Proficiency, which provides an ideal opportunity for universities and educators to develop new and review existing curricula for future programmes.

So, the aim of this article is to consider integrating trauma informed education within SCPHN training programmes, utilising a life course approach, by focussing on adolescence, which is a sensitive period of development, where the 'leading causes of death in this age group relate to risk taking behaviours and trauma' (Roberts et al 2020:25) by utilising the four R's (key assumptions) of a trauma informed approach as the key components of this education framework (SAMHSA 2014:9) Realise, Recognise, Respond, Re-traumatisation.

### **Realise:**

The proposed curriculum would encompass a combination of theoretical frameworks, these being life course epidemiology, psycho-social epidemiology and trauma

informed education. The initial stage of a trauma informed approach '*realise*' involves having an understanding of a young person's behaviour, experience and their coping strategies, therefore the foundations of this framework, will be centred on a life course approach. The origins of life course epidemiology overlap with psycho-social epidemiology as a result of medical and social research coming together to combine 'biological programming, risk accumulation and health inequalities' (Jacob et al 2017:5). Both theoretical frameworks will provide underpinning knowledge on the adolescent life course in which 'neurobiology, psychological processes and social attachment interact' (SAMHSA 2014:5).

The importance of adolescent health has become more widely recognised, as historically this has been a forgotten age group, despite the immense changes that occur in young people during this stage of their development (Kennedy 2010). What is clear is that adolescence have distinct health and wellbeing needs in relation to that of younger children. As young people are vulnerable to a range of stressors, which have the potential to affect their biological, physical and emotional development. Similarly, this also applies to a range of social and environmental transitions such as relationships with peers, parents and carers and transitions within school, university/college, workplace.

Therefore, from a psycho-social perspective, the curriculum, will examine adolescent health behaviours, attachment, types of stress, a window of tolerance and risk and protective factors. This will be facilitated in conjunction with a life course perspective, by reviewing the critical period model (Kuh et al 2003) which considers the impact of exposure to risks having a lifelong effect on a young person's development. Other

models such as accumulation of risk and chains of risk model (Kuh et al 2003) provide an extension on the critical period model, by considering the multiple effects of exposure to risks (behavioural, environmental and socio-economic) as a result of trauma, which may result in one bad experience or risk leading onto another.

### **Recognise:**

The second stage of a trauma informed approach is '*recognise*', where the focus will shift to a combination of trauma informed theory and life course epidemiology in which a historical overview of trauma informed care, adverse childhood experiences study (Felliti et al 1998) and types and signs of trauma will be provided. Consequently, there will be more emphasis on the neurobiological effects of brain plasticity within adolescence, which also considers the different brain trajectories for both males and females and the impact of this, on behaviour and development (Kanwal et al 2016). The impact of a traumatised brain can have immense effects, on an individual's day to day functioning, as an overactivated amygdala (responsible for emotions) within the brain, is the reason why the body is in constant state of high alert for danger (Christie 2018). In other regions of the brain, the prefrontal cortex (thinking centre) is underactivated, hence why individuals may experience difficulty concentrating and learning and the anterior cingulate cortex (empathy, impulse control) is also underactivated, which means young people may have difficulty managing their emotions (Wave Trust 2018).

### **Responds:**

A strengths-based approach will be applied to the delivery of the curriculum which changes the focus from 'What is wrong with you' to adopting a trauma lens by asking

instead 'what has happened to you' (Sweeney et al 2018:1). The purpose of this is to ensure that children and young people who have experienced trauma can feel safe and can gain trust, whilst also considering an asset-based focus, on identifying their own strengths as well as the support available around them to promote recovery. Aligned to this, social constructivism (Vygotsky 1978) and experiential learning (Kolb 1984) theories will provide the underpinning pedagogy, in order to integrate new knowledge on trauma into professionals existing knowledge and experience (Draper 2013). Therefore, a range of teaching and learning strategies such as problem based and simulation-based learning, reflection and action learning sets will be utilised (Figure 1). This will not only incorporate all learning styles (Honey & Mumford 1982) but also encourage critical thinking, peer assessment, collaborative working and problem solving, all of which will be underpinned and supported by the SCPHN standards of proficiency (Nursing and Midwifery Council, NMC 2004).

### **Re-traumatisation:**

The focus of this stage is centred on integrating knowledge and skills of trauma informed care into practice, from both a professional and organisation/service provider standpoint. This includes ensuring that school nurses have access to health and wellbeing support, should this be needed within both the University and practice setting. As exposure to people, places or situations may trigger a past trauma, which they have experienced in their own professional or personal life. This also reinforces the importance of clinical supervision and safeguarding supervision for school nurses in their role in practice which not only provides 'protected time to discuss the risks associated with their caseloads but is also an opportunity for them to address any anxieties or emotions' they may have (Warren 2018:35). Furthermore, from an

operational perspective, organisations should have a trauma informed ethos within their policies and procedures, as well as, ensuring trauma informed care pathways and ongoing training of all of their staff is fully in place.

## **Conclusion:**

Children and young people can experience trauma from an early age, the effects of this can have an impact upon their development into adulthood and across the rest of their lifespan, if not addressed. School nurses have a central role in providing trauma informed care within their role in practice, as they are often a first port of contact for vulnerable children and young person who are distressed and in need of support. Therefore, it is essential that both current and future school nurses, receive trauma informed education, within their specialist practice training, to assist them in their key role in addressing this public health issue.

## **References**

Ashton, K., Bellis, M. A., Davies, A.R., Hardcastle, K. and Hughes, K. (2016) Adverse Childhood Experiences and their association with chronic disease and health service use in the Welsh adult population. Public Health Wales. [Cited 27<sup>th</sup> January 2020] Available from: <http://www.wales.nhs.uk/sitesplus/888/page/88507>.

Bellis, M.A., Ashton, K., Hughes, K. Ford, K., Bishop, J. and Paranjothy, S (2015) Adverse Childhood Experiences and their impact on health-harming behaviours in the

Welsh adult population. Public Health Wales. [Cited 27<sup>th</sup> January 2020] Available from: <http://www.wales.nhs.uk/sitesplus/888/page/88504>.

Brewin, C.R; et al (2017) a review of current evidence regarding the ICD-11 proposals for diagnosing PTSD and complex PTSD. *Clinical Psychology Review*. [Cited 27<sup>th</sup> January 2020] Available from: <https://dx.doi.org/10.1016/j.cpr.2017.09.001>.

Cannon, L; Coolidge E; Le-Gierse, J; Moskowitz, Y; Buckley, C; Chapin, E; Warren, M; Kuzma, E (2020) Trauma Informed Education: Creating and pilot testing a nursing curriculum on trauma informed care. *Nurse Education Today*, 85(2020) 104256. [Cited 27<sup>th</sup> January 2020] Available from: <https://doi.org/10.1016/j.neat.2019.104256>.

Christie, C (2018) A trauma informed health and care approach for responding to child sexual abuse and exploitation. Current knowledge report. Department of Health and Social Care. GOV.UK.

Draper, S (2013) Social Constructivism. [Cited 29<sup>th</sup> January 2020] Available from: <http://www.psy.gla.ac.uk/~steve/courses/archive/CERE12-13-safari-archive/topic3/webarchive-index.html>.

Dziopa, F. & Ahern, K. (2009) What makes a quality therapeutic relationship in psychiatric/mental health nursing. A review of the research literature. *Journal of Advanced Nursing Practice*. 10, 1 :7-7.

Felitti, V.J., Anda, R.F., Nordenberg, D., Williamson, D.F., Spitz, A.M., Edwards, V., and Marks, J.S., (1998) Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults: the adverse childhood experiences (ACE) study. *American Journal of Preventative Medicine* 14 (4).

Feo, R; Rasmussen, P; Wiechuka, R; Convoy, T and Kitson, A (2017) Developing effective and caring nurse-patient relationships. *Nursing Standard*. 31.28,54-63.  
<https://doi:10.7748/ns.2017.e10735>.

Honey P, Mumford A (1982) Manual of Learning Styles. London. P Honey.

Institute for Apprenticeships and Technical Education (2020) Specialist Community and Public Health Nurse. [Cited 27<sup>th</sup> January 2020] Available from:

<https://www.instituteforapprenticeships.org/apprenticeship-standards/specialist-community-and-public-health-nurse/>.

Jacob, C; Baird, J; Barker, M; Cooper, C and Hanson, M (2017) The Importance of a Life Course Approach to Health: Chronic Disease Risk from Preconception through Adolescence and Adulthood. World Health Organisation.

Kanwal JS, Jung YJ and Zhang M (2016) Brain Plasticity during Adolescence: Effects of Stress, Sleep, Sex and Sounds on Decision Making. *Anatomy and Physiology* 6: e135. doi:10.4172/2161-0940.1000e135.

Kennedy, I (2010) Getting It Right for Children and Young People: Overcoming Cultural Barriers in the NHS So as to Meet Their Needs. [Cited 28<sup>th</sup> January 2020]. Available from: [www.gov.uk/government/publications/getting-it-right-for-children-and-young-people-overcoming-cultural-barriers-in-the-nhs-so-as-to-meet-their-needs](http://www.gov.uk/government/publications/getting-it-right-for-children-and-young-people-overcoming-cultural-barriers-in-the-nhs-so-as-to-meet-their-needs).

Kermansaravi, F., Navidian, A., & Yaghoubinia, F (2015). Nursing Students' Views of Nursing Education Quality. *Global Journal of Health Science*, 7 (2) 351-359. [Cited 27<sup>th</sup> January 2020] Available from: <http://doi.org/10.5539/gjhs.v7n2p351>.

Kessler RC, Berglund P, Demler O, Jin R, Merikangas KR, Walters EE (2005) Lifetime Prevalence and Age-of-Onset Distributions of DSM-IV Disorders in the National Comorbidity Survey Replication. *Archives of General Psychiatry*.2005;62(6):593–602. doi:10.1001/archpsyc.62.6.593.

Kolb, D (1984) Experiential learning: experience as the source of learning and development. Englewood Cliffs NJ, Prentice Hall.

Kuh, D; Ben-Shlomo, Y; Lynch, J et al (2003) Life course epidemiology. *Journal of Epidemiology and Community Health*. 2003; 57:778-783.

Li, Y., Cannon, L.M., Coolidge, E.M., Darling-Fisher, C.S., Pardee, M., Kuzma, E.K. (2019) Current state of trauma-informed education in the health sciences: lessons for nursing. *Journal of Nursing Education* 58 (2), 93–101. [Cited 27<sup>th</sup> January 2020] Available from: <https://doi.org/10.3928/01484834-20190122-06>.

Magruder, K. M., McLaughlin, K. A., & Elmore Borbon, D. L. (2017) Trauma is a public health issue. *European Journal of Psychotraumatology*, 8(1), 1375338.

Maguire, N.J., Johnson, R., Vostanis, P., Keats, H. and Remington, R.E., (2009) Homelessness and complex trauma: a review of the literature. Southampton, University of Southampton. [Cited 27<sup>th</sup> January 2020] Available from: <http://eprints.soton.ac.uk/69749/>.

Nursing and Midwifery Council (2004) Standards of proficiency for Specialist Community Public Health Nurses. London, NMC.

Nursing and Midwifery Council (2020) NMC sets out proposal for changes to post-registration standards. [Cited 27<sup>th</sup> January 2020] Available from: <https://www.nmc.org.uk/news/press-releases/nmc-sets-out-proposals-for-changes-to-post-registration-standards/>.

Roberts Z, Collins JA, James D, *et al* (2020) Epidemiology of adolescent trauma in England: a review of TARN data 2008-2017. *Emergency Medicine Journal* 2020; 37:25–30.

Royal College of Nursing (2020) School Nursing. [Cited 27<sup>th</sup> January 2020] Available from: <https://www.rcn.org.uk/clinical-topics/children-and-young-people/school-nursing>.

Substance Abuse and Mental Health Services Administration (2014) SAMHSA's Concept of Trauma and Guidance for a Trauma-Informed Approach. Rockville, MD: Substance Abuse and Mental Health Services Administration.

Substance Abuse and Mental Health Services Administration (2014a) SAMHSA's concept of trauma and guidance for a trauma- informed approach. Rockville, MD, Substance Abuse and Mental Health Services Administration. [Cited 27<sup>th</sup> January 2020] Available from: <https://store.samhsa.gov/system/files/sma14-4884.pdf>.

Sweeney, A; Filson, B and Gillard, S (2018) A paradigm: relationships in trauma informed mental health services. *BJpsych Adv*, 2018 Sept 24(5) 319-333.

Tello, M (2018) Trauma Informed Care: What it is and why its important. [Cited 27<sup>th</sup> January 2020] Available from: <https://www.health.harvard.edu/blog/trauma-informed-care-what-it-is-and-why-its-important-2018101613562>.

Torjesen, I (2019) Childhood trauma doubles risk of mental health conditions. *British Medical Journal*, 2019; 364-1854. [Cited 27<sup>th</sup> January 2020] Available from: <https://doi.10.1136/BMJ.1854>.

Vygotsky, L (1978) Mind in society: The development of higher psychological processes. London, Harvard University Press.

Warren, L (2018) Role of leadership behaviours in safeguarding supervision: a literature review. Primary Health Care. 2018 Jan 26;28(1):31–36.  
<https://doi:10.7748/phc.2018.e1340>.

Wave Trust (2018) The 70/30 Network. [Cited 28<sup>th</sup> January 2020] Available from:  
<https://www.wavetrust.org/7030>.