

Nixon, Andrew, Bampouras, Theodoros ORCID: https://orcid.org/0000-0002-8991-4655, Pendleton, Neil, Mitra, Sandip, Brady, Mark and Dhaygude, Ajay (2021) Erratum: Frailty is independently associated with worse health-related quality of life in chronic kidney disease: a secondary analysis of the Frailty Assessment in Chronic Kidney Disease study. Clinical Kidney Journal, 14 (3). p. 1035.

Downloaded from: https://insight.cumbria.ac.uk/id/eprint/6916/

Usage of any items from the University of Cumbria's institutional repository 'Insight' must conform to the following fair usage guidelines.

Any item and its associated metadata held in the University of Cumbria's institutional repository Insight (unless stated otherwise on the metadata record) may be copied, displayed or performed, and stored in line with the JISC fair dealing guidelines (available <a href="here">here</a>) for educational and not-for-profit activities

## provided that

- the authors, title and full bibliographic details of the item are cited clearly when any part of the work is referred to verbally or in the written form
  - a hyperlink/URL to the original Insight record of that item is included in any citations of the work
- the content is not changed in any way
- all files required for usage of the item are kept together with the main item file.

## You may not

- · sell any part of an item
- refer to any part of an item without citation
- amend any item or contextualise it in a way that will impugn the creator's reputation
- remove or alter the copyright statement on an item.

The full policy can be found here.

Alternatively contact the University of Cumbria Repository Editor by emailing <a href="mailto:insight@cumbria.ac.uk">insight@cumbria.ac.uk</a>.







Clinical Kidney Journal, 2021, vol. 14, no. 3, 1035

doi: 10.1093/ckj/sfaa066 Advance Access Publication Date: 4 May 2020

**ERRATUM** 

## Frailty is independently associated with worse health-related quality of life in chronic kidney disease: a secondary analysis of the Frailty Assessment in Chronic Kidney Disease study

Andrew C. Nixon (1,2,3), Theodoros M. Bampouras<sup>4,5</sup>, Neil Pendleton<sup>6</sup>, Sandip Mitra<sup>7,8</sup>, Mark E. Brady<sup>1</sup> and Ajay P. Dhaygude<sup>1</sup>

<sup>1</sup>Department of Renal Medicine, Lancashire Teaching Hospitals NHS Foundation Trust, Preston,UK, <sup>2</sup>Centre for Health Research and Innovation, National Institute of Health Research Lancashire Clinical Research Facility, Lancashire Teaching Hospitals NHS Foundation Trust, Preston, UK, <sup>3</sup>Division of Cardiovascular Sciences, University of Manchester, Manchester, UK, <sup>4</sup>Active Ageing Research Group, University of Cumbria, Lancaster, UK, <sup>5</sup>Lancaster Medical School, Lancaster University, Lancaster, UK, <sup>6</sup>Division of Neuroscience and Experimental Psychology, University of Manchester, Manchester, UK, <sup>7</sup>Manchester Academy of Health Sciences Centre, University of Manchester, Manchester, UK and <sup>8</sup>Devices for Dignity, National Institute of Health Research MedTech & In-vitro Diagnostics Co-operative, UK

Correspondence and offprint requests to: Andrew C. Nixon; E-mail: andrew.nixon@lthtr.nhs.uk

In the original article, in the 'Methods' section of the abstract, there were some incorrect words added. It originally read 'Ninety participants with dialysis-dependent chronic kidney disease (CKD G4–5D) were recruited between December 2016 and December 2017'-the words 'dialysis-dependent' have been removed. The Publisher apologizes for the error.